

## TECHNICAL DATA SHEET

<b>Product:</b>	<b>Granular Ulexite 2-4mm</b>
<b>Synonym:</b>	Hydrated Sodium Calcium Borate
<b>Formula:</b>	(Na <sub>2</sub> O.2CaO.5B <sub>2</sub> O <sub>3</sub> .16H <sub>2</sub> O)
<b>Product Description:</b>	Ulexite is a mineral of fibrous hydrated borate hydroxide of sodium and calcium. Granular Ulexite 2-4mm is a greyish-white odorless product of uniform grain size distribution. Ulexite granules are of great importance for their slow-release property in agricultural applications. Ulexite has approximately 9-10% of Boron per unit mass.
<b>Packaging:</b>	Granular Ulexite 2-4mm is available in 22.7 kg (50 lb.), 25 kg (55 lb), 1000 kg (2200 lb), 1100 kg (2400 lb) and 1200 kg (2646 lb).

### CHEMICAL COMPOSITION

Component	Unit	Content
B <sub>2</sub> O <sub>3</sub>	%	30.00 min.
Boron	%	9.3% min.
Calcium (as CaO)	%	22.00 max.
SiO <sub>2</sub>	%	10.00 max.
Na <sub>2</sub> O	%	5.00 max.
Magnesium (as MgO)	%	5.00 +/- 2.00
Sulfur (as SO <sub>4</sub> )	%	0.10-0.20%
Cl	ppm	0 ppm
Arsenic	ppm	80.00 max
Lead	ppm	<0.1 ppm (detection limit)
Nickel	ppm	<0.01 ppm (detection limit)
Mercury	ppm	<0.005 ppm (detection limit)
Cadmium	ppm	0 ppm
Antimony	ppm	0 ppm
Purity	%	99.9 min.

### GRAIN SIZE DISTRIBUTION

<b>Appearance</b>	Grayish White Granules
<b>Bulk Density</b>	55-60 lb/ft <sup>3</sup>
<b>Water Solubility</b>	Low solubility, slow-release product Not recommended for foliar or liquid application

Size (mm)	US Mesh Conversion	Unit	Content
- 2.00	-10	%	20% max
+ 4.00	-5	%	5% max

**Shelf Life:** This product has no specified shelf-life and there is no special precautions are needed for storing this product. This product does not degrade under normal conditions of storage.

One Penn Cent. West, Suite 400 Pittsburgh, PA 15276 USA  
 Telephone: +1 412-809-8215 - Fax: +1 412-809-8217  
 e-mail: [etimineusa@etimineusa.com](mailto:etimineusa@etimineusa.com)

